Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1–77. (Canceled)

78. (Currently Amended) A method of making an heterogeneous building block array, the method comprising:

applying building block <u>molecules</u> to a solid support in a plurality of <u>regions spots</u>, <u>the regions each being a contiguous portion of the surface of the solid support and each having the shape of a spot, the spots the regions comprising 2, 3, 4, 5, or 6 different building block molecules;</u>

independently <u>and covalently</u> coupling the different building block <u>molecules</u> to the solid support in the <u>regions</u> spots; <u>wherein:</u>

<u>a first region comprises a first combination of building block molecules and a second</u> region comprises a second combination of building block molecules;

the regions of immobilized building block molecules on the solid support are a heterogeneous building block array; and

each building block molecule independently is of the formula:

framework-(recognition element)_n

in which:

n=1, 2, or 3; each recognition element is independently covalently coupled to the framework; and the framework comprises a functional group effective for covalent coupling to a support or a linker;

the framework is alkyl, substituted alkyl, cycloalkyl, heterocyclic, substituted heterocyclic, aryl alkyl, aryl, heteroaryl, or heteroaryl alkyl; substituted with 1 to 4 functional groups;


the functional groups independently being carboxyl, amine, hydroxyl, phenol, carbonyl, or thiol;

each recognition element is independently a 1-12 carbon alkyl, substituted alkyl, cycloalkyl, heterocyclic, substituted heterocyclic, aryl alkyl, aryl, heteroaryl, or heteroaryl alkyl moiety; substituted with a group with a property of positive charge, negative charge, acid, base, electron acceptor, electron donor, hydrogen bond donor, hydrogen bond acceptor, free electron pair, π electrons, charge polarization, hydrophilicity, or hydrophobicity;

with the proviso that one or more recognition elements, the framework, or one or more recognition elements and the framework comprises an amino acid.

wherein one or more of the building blocks comprises one or more amino acids.

- 79. (currently amended) The method of claim 78, wherein one or more of the amino acids comprises naturally occurring amino acid or synthetic amino acid.
- 80. (currently amended) The method of claim 78, wherein one or more of the amino acids comprises an amino acid with a functional group on its side chain.
- 81. (Previously presented) The method of claim 80, wherein the functional group comprises amine, hydroxyl, phenol, carboxyl, thiol, thioether, or amidino group.
- 82. (currently amended) The method of claim 78, wherein one or more of the amino acids comprises serine, threonine, tyrosine, aspartic acid, glutamic acid, asparagine, glutamine, cysteine, lysine, arginine, histidine.
- 83. (canceled)
- 84. (currently amended) The method of claim 78, wherein one or more of the amino acids comprises derivatized amino acid.
- 85. (currently amended) The method of claim 84, wherein one or more of the derivatized amino acids has the formula:



in which:

X is absent or C=O;

Y is absent, NH, or O; Z is O;

R₂ is H or CH₃;

R₃ is CH₂ or CH₂-phenyl;


RE₁ is B1, B2, B3, B4, B5, B6, B7, B8, B9, A1, A2, A3, A4, A5, A6, A7, A8, or A9; RE₂ is A1, A2, A3, A4, A5, A6, A7, A8, A9, B1, B2, B3, B4, B5, B6, B7, B8, or B9; L is (CH₂)_nCOOH, with n=1-16;

A1 is


A2 is

 $CH_2CH(CH_3)_2$;

A3 is



A4 is



A5 is

A6 is

CH₂CH₂-O-CH₃;


A7 is

CH₂CH₂-OH;

A8 is

CH₂CH₂-NH-C(O)CH₃;


A9 is



B1 is

 CH_3 ;

B2 is



B3 is

$$H_2C$$

B4 is

B5 is

B6 is CH_2 -S- CH_3 :

B7 is $\label{eq:ch2CHOH} \text{CH}_2\text{CH(OH)CH}_3.$

B8 is $\label{eq:ch2CH2CO} \text{CH}_2\text{CH}_2\text{C(O)-NH}_2; \text{ and}$

B9 is $CH_2CH_2CH_2-N-(CH_3)_2$

- 86. (Currently Amended) The method of claim 78, wherein one or more of the building block molecules consists of one or more amino acids
- 87. (canceled)
- 88. (Currently Amended) The method of claim [[87]] 78, wherein the framework is a naturally occurring amino acid or synthetic amino acid.

USSN 10/727,059 Reply to Office Action dated March 2, 2007

- 89. (Previously presented) The method of claim 88, wherein the framework is a naturally occurring amino acid, and the naturally occurring amino acid is serine, threonine, tyrosine, aspartic acid, glutamic acid, asparagine, glutamine, cysteine, lysine, arginine, histidine.
- 90. (Currently Amended) The method of claim [[87]] <u>88</u>, wherein the first or second recognition element comprises amino acid side chain functional group.
- 91. (Previously presented) The method of claim 90, wherein the functional group comprises amine, hydroxyl, phenol, carboxyl, thiol, thioether, or amidino group.
- 92-130. (Canceled)